









































DOW CORNING® Antifoam 2210

FOR ACTIVE INDUSTRIAL ANTIFOAM EMISSION

STORAGE: Store above 40° F (4° C) and below 104° F (40° C). If freezing should occur, product performance should not be diminished. Completely thaw and thoroughly mix before using. For best results use within 6 months from date of shipment.

All containers may settle during prolonged storage. To ensure homogeneity, stir gently before use.

BEFORE HANDLING, READ product and material safety data sheets for detailed use and health information.

CAUTION!
MAY IRRITATE EYES SLIGHTLY.

LOT LL016085 19
NET WT. 440 lb (199.5 kg)
AVOID FREEZING

CONTAINS: Antifoam 2210
Polydimethylsiloxane (PDMS)
Base Oil: 100% Polydimethylsiloxane
Concentration: 8.5%

ATTENTION: This product is not for use in food processing equipment. It is not intended for use in food processing equipment. It is not intended for use in food processing equipment. It is not intended for use in food processing equipment.

FORM 1000000000

DOW CORNING® Antifoam 2210

100% ACTIVE INDUSTRIAL ANTIFOAM EMULSION

STORAGE: Store above 60° F (16° C) and below 104° F (40° C). If freezing should occur, product performance should not be diminished. Completely thaw and thoroughly mix before using. For best results, use within 6 months from date of shipment.

All emulsions may settle during prolonged storage. To ensure homogeneity, stir gently before use.

CONTAINER: Metal/7780145
Polydimethylsiloxane 763155

Net wt: 440 (199.5 kg)
Specific Gravity: 0.91

BEFORE HANDLING, READ product and material safety data sheets for detailed use and health information.

CAUTION!
MAY IRRITATE EYES SLIGHTLY.

Avoid eye contact. IN CASE OF EYE CONTACT, flush immediately with water for 15 minutes.

LOT LL016085
NET WT. 440 lb (199.5 kg)
19
AVOID FREEZING

ATTENTION: This emulsion will leave a color and/or residue when applied. Antifoam precautions on how best to observe when handling should be observed. DO NOT REUSE CONTAINER. DO NOT CUT OPEN OLD CONTAINER.
MADE IN U.S.A.

© 1993 Dow Corning Corporation
All Rights Reserved. DOW CORNING
IMPORTANT NOTICE: DOW CORNING
ANTIFOAM REPRESENTS A REGISTERED
TRADEMARK OF DOW CORNING
CORPORATION. ALL OTHER
TRADEMARKS ARE THE PROPERTY
OF THEIR RESPECTIVE OWNERS.

DOW CORNING

DOW CORNING CORPORATION, 11000 MIDLAND, MI 48666-1694, U.S.A. (517) 496-6000



HYDROCHLORIC ACID

HAZARD
Corrosive
Vapor Extremely Irritating
May Be Fatal if Inhaled or Swallowed

PRECAUTIONS
Avoid contact with skin and eyes.
Do not breathe vapors.
Do not get on clothing.
Do not get in eyes, on face, or on skin.
Do not get on hands or feet.
Do not get on face or neck.
Do not get on hair or scalp.
Do not get on mouth or tongue.
Do not get on throat or chest.
Do not get on stomach or intestines.
Do not get on bladder or kidneys.
Do not get on liver or gallbladder.
Do not get on pancreas or spleen.
Do not get on lungs or bronchi.
Do not get on trachea or larynx.
Do not get on pharynx or esophagus.
Do not get on stomach or intestines.
Do not get on bladder or kidneys.
Do not get on liver or gallbladder.
Do not get on pancreas or spleen.
Do not get on lungs or bronchi.
Do not get on trachea or larynx.
Do not get on pharynx or esophagus.

FIRST AID
If inhaled: Move to fresh air. If breathing is difficult, give oxygen.
If swallowed: Do not induce vomiting. Give water to drink.
If on skin: Wash with plenty of water.
If in eyes: Flush with plenty of water for at least 15 minutes.

HANDLING AND STORAGE
Store in a cool, dry place.
Do not store near food or feedstuffs.
Do not store near acids or alkalis.
Do not store near oxidizing agents.
Do not store near flammable liquids.
Do not store near combustible materials.
Do not store near electrical equipment.
Do not store near heat sources.
Do not store near open flames.
Do not store near smoking areas.
Do not store near food or feedstuffs.
Do not store near acids or alkalis.
Do not store near oxidizing agents.
Do not store near flammable liquids.
Do not store near combustible materials.
Do not store near electrical equipment.
Do not store near heat sources.
Do not store near open flames.
Do not store near smoking areas.




FRESHWATER LEAK
POLYMER

Part 8 X

FRESHWATER LEAK
POLYMER





ALLNCKRODT
SODIUM HYDROXIDE TABLETS (ACS)
Net Weight: 100.00 g (3.527 oz)
Tare Weight: 0.00 g (0.000 oz)
Gross Weight: 100.00 g (3.527 oz)
Net Content: 100.00 g (3.527 oz)
Lot No. 7708
Exp. Date 08/2018
Mfg. Date 08/2018
Purity: 99.99%
Storage: Store in a cool, dry place.
Handling: Wear gloves and eye protection.
Disposal: Dispose of in accordance with local regulations.





