


182

SURVEY N² 2038




SURVEY FOR RAY PEIFFER

SCALE 1"=100' • EXISTING PIPE OR IRON PIPE SET
BUELLS ADD. VILLAGE OF CAREY
CRAWFORD TWP., WYANDOT CO., OHIO

AS MEASURED ALONG STREET { 2 RODS OFF EAST SIDE OF INLOT 6 & 2 RODS OFF
WEST SIDE OF INLOT 6

BY JERRY B. HEININGER
OHIO REG. SURV. NO. 5647
DATE JULY 1979

NOTE: ORDINARILY 33' OFF A LOT WOULD BE ASSUMED TO BE 33' 59" TO THE
SIDE LINES, IN THIS CASE I BELIEVE THE INTENT IS TO GIVE IT AS
MEASURED WITH THE STREET



SURVEY FOR DORIS FOX

SCALE 1" = 100' * = SPIKE o = IRON PIPE

PT W¹/₂ NE¹/₄ NE¹/₄ SEC. 20, T¹/₅, R¹/₅E

VILLAGE OF CAREY, CRAWFORD TWP., WYANDOT COUNTY, OHIO

BY JERRY B. WEININGER

OHIO REG. SURVEY N^o 5647

DATE AUG. 1979

NOTE: ~~DEED~~ ^{DEED} V135, PG. 537 CALLS FOR 232'

TOTAL DEPTH BUT THIS IS FROM THE EAST
R/W OF THE R.R. (MCGILL'S PIN FOR ADJACENT
LOT IS THE DEPTH I USED IN THAT PLAT
SHOWS ALL LOTS TO BE SAME DEPTH)

TAX MAP COPY

SURVEY N^o 2040

NOTE: THIS PIPE DOESN'T
CLEAR HOUSE #13 'TAY HOUSE'
HOWEVER, THERE IS LIKELY TO BE
ABOUT 5' OF N15 OVER-RUN
BETWEEN STREETS WHICH
WOULD MOVE THIS WHOLE
LOT 2.75' NORTH, BUT THEN
WOULD LEAVE GAP BETWEEN
EASEMENT AND LOT

SURVEY FOR ROBERT KROMER

SCALE 1"=50' * = SPIKE O = IRON PIPE

N. 50' { LOT NO 91, AND 11' OFF EAST SIDE OF LOT
NO. 90, AND 26' OFF WEST SIDE OF LOT NO. 92


VILLAGE OF CAREY, CRAWFORD TWP.

WYANDOT CO., OHIO

BY JERRY B. WEININGER

OHIO REG. SURV. NO. 5647

DATE JULY, 1979



EAST NORTH STREET 66'