


SURVEY N^o 1425



SCALE 1" = 500 FT

O = IRON PIPE

• = R.R. SPIKE

PT S¹/₄ SW¹/₄ SEC. 29

PT W¹/₂ NW¹/₄ SEC. 32 T35-RISE

ANTRIM TWP. WYANDOT COUNTY OHIO


DATE JULY 1974

BY J.B. WEININGER

OHIO REG. SURV. N^o 5647

USE BLACK FIGURES = REVISED SURVEY

SURVEY RECORDED AUG. 26-1974



9-2-13

5 FOR

SURVEY FOR RONALD PATRICK,
N02°26'W - 16.5'

SCALE 1" = 100'
PTN^N NE^E
SEC. 9 - T25 - R13E
SALEM TWP
WYANDOT CO. O.
O = IRON PIPE
● = R.R. SPIKE
AUG. 1974
J.B. WEININGER
OHIO REG SURV 5647
IRON ROD

MON. BOX
N L NE¹/₄ SEC. 9
R/W LINE
N 90° E → 1297.8'
H. 42 &
NE N¹/₄ NE¹/₄ SEC. 9

50°12'20"W 500.12'E
908.9' 1012.20'E 908.9'
400.55' N 00°01'20"W

N 90° E 16.5'

ALL BEARINGS ARE RELATIVE TO THE SOUTH LINE OF THE NORTH HALF OF THE NORTHEAST QUARTER ASSUMED NO. 90° DEGREES EAST.

SURVEY RECORDED SEPT. 3-'74

ALL BEARINGS ARE RELATIVE TO THE SOUTH LINE OF THE NORTH HALF OF THE NORTHEAST QUARTER ASSUMED NORTH 90° DEGREES EAST.

SURVEY RECORDED SEPT. 3-'74